



FESTA TENDE - Via Muradello,2/a - 25032 - CHIARI - (Bs)

Tel. 030 7000258

Cell. 335 6354672

[**www.festatende.it**](http://www.festatende.it)

[**info@festatende.it**](mailto:info@festatende.it)

Palco



Velluto ignifugo per tende arricciate e imbottiti.

- H: 140 cm ↔
- Ignifugo : Classe 1
- Martindale DIN 53863 : 100.000 giri
- Composizione : 100% PL TREVIRA CS
- Peso : 380 g/m2
- Spessore : 0,80 mm
- Fonoassorbenza : 0.75 α_w (DIN EN ISO 354 / DIN ISO 11654)
- N° varianti colore : 18

palco



palco



Tessuto ignifugo permanente in TREVIRA®CS

Permanent flame retardant fabric in TREVIRA®CS

Tejido ignifugo permanente in TREVIRA®CS

Tissu non feu permanent en TREVIRA®CS

Ständige feuerhemmende Stoffe aus TREVIRA®CS

Permanent brandwerende stoffen in TREVIRA®CS



caratteristiche tecniche - technical details

PALCO



TESSUTO IGNIFUGO OMOLOGATO IN CLASSE 1
FLAMEPROOF FABRIC CLASS 1 APPROVED
TEJIDO IGNIFUGO HOMOLOGADO EN CLASE 1
TISSU IGNIFUGO HOMOLOGUÉE CLASSE 1
FEUERHEMMEND KLASSE 1
BRANDVRIJ KLASSE 1



COMPOSIZIONE
COMPOSITION
COMPOSITION
COMPOSITION
ZUSAMMENSETZUNG
SAMENSTELLING

100%

POLIESTERE TREVIRA®CS
POLYESTER TREVIRA®CS
POLYESTER TREVIRA®CS
POLYESTER TREVIRA®CS
POLYESTER TREVIRA®CS



PESO
WEIGHT
PESO
POIDS
GEWICHT

380 g/m²



SPESORE
THICKNESS
ESPESOR
ÉPAISSEUR
STÄRKE
DIKTE

0,80 mm



ALTEZZA TESSUTO
FABRIC WIDTH
ALTURA DEL TEJIDO
HAUTEUR DU TISSU
STOFFHÖHE
HOOGTE VAN DE STOF

140 cm ⇄



SOLIDITÀ ALLA LUCE
LIGHTFASTNESS
SOLIDEZ A LA LUZ
SOLIDITÉ A LA LUMIÈRE
LICHTECHTHEID
LICHTECHTHEID

6

UNI EN ISO 105-B02:2001



RESISTENZA ALL'ABRASIONE
ABRASION RESISTANCE
RESISTENCIA A LA ABRASION
RESISTANCE A L'ABRASION
REIBESTIGKEIT
SCHUURWEERSTAND

100.000

GIRI
TURNS
VUELTAS
TOURS
UMDERECH.
TOEREN

MARTINDALE DIN 53863



LAVAGGIO
A SECCO, CON
PERCLORETELENE
E CON PROGRAMMA
DELICATO

DELICATE PROGRAM
DRY-CLEANING, WITH
ETHYLENE
PERCHLORATE
IS RECOMMENDED

LAVADO
A SECO, CON
PERCLORETELENO
Y CON PROGRAMA
DELICADO

IL EST CONSEILLÉ DE
LAVER À SEC, EN
PROGRAMME DÉLICAT,
AVEC PERCHLORATE
ÉTHYLENE

DIE CHEMISCHE
REINIGUNG MIT
PERCHLORAT
ÄTHYLEN FEINWASCH
PROGRAMM, IST
EMPFOHLEN

DROOGKENS
AANBEVOLEN,
OP DELICAAT
PROGRAMMA
MET PERCHLORAAT
ETHYLENE



EVITARE L'USO
DEL CLORO
NON CANDEGGIARE

AVOID THE USE
OF CHLORINE
DO NOT BLEACH

EVITAR EL USO
DEL CLORO
NO BLANQUEAR

ÉVITER L'USAGE
DU CHLORINE
NE PAS BLANCHIR

DER GEBRAUCH DES
CHLORS IST ZU
VERMEIDEN NICHT
BLEICHEN

VERMID GEbruik
VAN CHLOOR
NIET BLEIKEN



STRATURA CON
TEMPERATURA
MAX 110°C
A HUMID CLOTH
HAS TO BE PUT
IN BETWEEN

IRONING WITH MAX
TEMP. OF 110°C
A HUMID CLOTH
HAS TO BE PUT
IN BETWEEN

PLANCHAR CON
TEMP. MAX 110°C
SOBREPONER
UN PAÑO
HÚMEDO

REFASSER À LA
TEMP. MAX
DE 110°C
INTERPOSER UN
MORCEAU DE
TOILE HUMIDE

BÜGELN MIT
TEMPERATUR
MAX 110°C EN
FEUCHTES TUCHES
IST DAZWISCHEN
ZU LEGEN

STRUKEN OP MAX.
TEMP. VAN 110°C
PLAATS TUSSEN
BEIDEN EEN
VOCHTIGE
DOEK

Z 516/07 ediz. 10/08



www.mottura.com



140 cm



3480/01



3480/19



3480/02



3480/15



3480/03



3480/10



3480/04



3480/11



3480/05



3480/12



3480/06



3480/13



3480/07



3480/16



3480/08




3480/17



3480/09



3480/18





FESTA TENDE - Via Muradello,2/a - 25032 - CHIARI - (Bs)

Tel. 030 7000258

Cell. 335 6354672

[**www.festatende.it**](http://www.festatende.it)

[**info@festatende.it**](mailto:info@festatende.it)